







FRONT



REAR



LEFT



RIGHT

- GENERAL NOTES:
- CEILING HEIGHT: 8' / 8'
 - SNOW LOAD: 2
 - WIND SPEED: 3
 - EXPOSURE: 4
 - SEISMIC: 5
 - R-19 INSULATION OR BETTER TO BE INSTALLED IN FLOOR ON-SITE BY OTHERS
 - FURNACE/BOILER MUST BE ENCLOSED IN FIRE PROTECTED ENCLOSURE IN BASEMENT, ON-SITE BY OTHERS (IF FURNACE/BOILER IS NOT ENCLOSED, OTHERS ARE RESPONSIBLE FOR RELOCATION OF EMERGENCY CUT-OFF SWITCH AS NECESSARY PER STATE AND LOCAL CODE)
 - FURNACE/BOILER SPECIFICATIONS TO BE DETERMINED BY OTHERS FOR MODULAR PORTION BTU OF
 - WATER-HAMMER ARRESTORS TO BE SUPPLIED & INSTALLED ON-SITE BY OTHERS WHERE ALL QUICK-CLOSING VALVES ARE UTILIZED.

SERIAL #	HARWICH		
DRAWING #	HARWICH		
PRODUCTION BY:			
PROD. DRAWING DATE:			
PRODUCTION CHECKER:			

DWG #	DATE	REVISIONS	BY
NO	DATE	REVISION DESCRIPTION	INI
DRAWN BY:	DATE:	SCALE:	CHECKED BY:
AF	00-00-00	1/4"=1'-0"	

Design Homes

"The Start Of A New Design"

11 Edwards Drive, Bloomsburg, PA 17815

Phone # 1 (570) 752 - 1001

Fax # 1 (570) 752 - 1013

Address City, State, Zip		STATE:
Address City, State, Zip		
SALES PERSON:		
BUILDER: CUSTOMER		
MODEL: HARWICH		
DRAWING: ELEVATIONS		
SHEET:		3