



FIRST FLOOR ELECTRICAL LAYOUT

NOTES:  
PREP FOR PADDLE FAN IN BEDROOMS AND LIVING ROOM

A) Purchaser responsible for all service entry connections to dwelling unit main service panel.				G) All wiring to be per National Electric Code (Current Edition).			
B) Purchaser responsible for performing complete circuit testing prior to service connection for all site wiring.				H) Unless other wise specified, mount recept. 14" from subfloor to bottom of boxes, switches 5'0", Thermostat 6'0"			
C) Exterior weatherproof recepts and light fixtures shipped for site installation by purchaser.				I) A/C/D/C smoke detectors wired for simultaneous operation.			
D) All gas pipe lines for gas appliances by purchaser.				J) GFCI, recepts wired with feed thru for ground fault protection to all (Load side) branch circuit recept.			
E) All heating / cooling systems supplied and installed by purchaser per state and local codes.				K) Range hoods are ventless unless otherwise specified.			
F) When washer/dryer are located in basement, all hot/cold shall be by Purch. to meet current Bldg/Elec. codes.				L) All exhaust fans in baths and at other shall be vented to the outside air by the purchaser unless otherwise specified.			
M) Lock-Out, clip on water heater.				N) Switches & Recept. in bathrooms and dressing rooms over lavatories to be 42" up.			
				O) Switches and recepts over counter to be 44" up unless otherwise specified.			
				P) All electrical boxes on exterior walls to be sealed with foam to eliminate air infiltration.			
				Q) Batt insulation glued to attic access cover.			
				R) Insulation shipped for site installation by Purch. to be installed in gaps at mating wall seams, and at floor & ceiling areas.			
				S) Ceiling angles to be caulked behind crown mould (if crown mould is purchased).			
				T) All exterior wall horizontal sheathing joints to be sealed.			
				U) Interior walls around the perimeter of basement openings to be insulated with R-13.			
				V) Wiring for phone and TV outlets are the responsibility of the purchaser. NCH to provide the outlet jack and 2x4 box with 3/4" conduit below subfloor			
				W) Tamper Resistant Receptacles			
					Duplex Receptacle		Single pole switch
					Weatherproof duplex		Three-way switch
					240V Receptacle		Four-way switch
					Overhead light		Television outlet
					Recessed light		Home Office Box
					Weatherproof light		Thermostat
					Fluorescent light		Electric door chime
					Cig. Exh. fan (50 CFM Min)		
					Push button for chime		Smoke Detector

NOTE: ONLY ONE HOUSE MAY BE BUILT UTILIZING THE PLANS THAT ARE DESIGNATED FOR THIS CONTRACT JOB

© COPYRIGHT 2000 NATIONAL WILDLIFE CUSTOM HOMES

ALL RIGHTS RESERVED

NATIONAL WILDLIFE  
*Custom Homes*

1100 RIVES ROAD MARTINSVILLE, VA. 24115  
(716) 632-7100  
FAX (716) 632-1181  
WWW.NATIONALWILDECUSTOMHOMES.COM

PLAN NAME: KINGSTON

COLLECTION/SERIES: STANDARD

DESIGN DATE:

REV. DATE:

REV. DATE:

PURCHASER:

JOB NO:

PROCESS DATE:

CHANGE ORDER DATE:

PRODUCTION DATE:

CONTRACT NO:

DWG. BY:

CHK BY:

PAGE NO.

OF



